

# Rcpp : Unit testing results

Dirk Eddelbuettel

Romain François

February 8, 2010

RUNIT TEST PROTOCOL -- Mon Feb 8 14:39:58 2010

\*\*\*\*\*

Number of test functions: 178

Number of errors: 0

Number of failures: 0

1 Test Suite :

Rcpp unit testing - 178 test functions, 0 errors, 0 failures

Details

\*\*\*\*\*

Test Suite: Rcpp unit testing

Test function regexp: ^test.+

Test file regexp: ^runit.+\. [rR]\$

Involved directory:

/tmp/Rinst238803761/Rcpp/unitTests

-----  
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.as.R

test.as.bool: (4 checks) ... OK (0.9 seconds)

test.as.double: (4 checks) ... OK (0.95 seconds)

test.as.int: (4 checks) ... OK (0.96 seconds)

test.as.raw: (4 checks) ... OK (0.91 seconds)

test.as.string: (1 checks) ... OK (0.87 seconds)

test.as.vector.bool: (1 checks) ... OK (0.95 seconds)

test.as.vector.double: (4 checks) ... OK (0.92 seconds)

test.as.vector.int: (4 checks) ... OK (0.94 seconds)

test.as.vector.raw: (4 checks) ... OK (0.94 seconds)  
-----

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.CharacterVector.R

test.CharacterVector: (1 checks) ... OK (1.09 seconds)

test.CharacterVector.assign: (2 checks) ... OK (2 seconds)

test.CharacterVector.Dimension.constructor: (3 checks) ... OK (2.89 seconds)

test.CharacterVector.initializer.list: (1 checks) ... OK (1.05 seconds)

test.CharacterVector.matrix.indexing: (3 checks) ... OK (1.98 seconds)

test.CharacterVector.plusequals: (1 checks) ... OK (0.94 seconds)

test.CharacterVector.range.constructors: (2 checks) ... OK (1.98 seconds)

test.CharacterVector.STRSXP: (1 checks) ... OK (1.02 seconds)  
-----

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.clone.R

test.clone: (2 checks) ... OK (0.96 seconds)  
-----

```

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.ComplexVector.R
test.ComplexVector: (1 checks) ... OK (1.03 seconds)
test.ComplexVector.initializer.list: (1 checks) ... OK (1.04 seconds)
test.ComplexVector.INTSXP: (1 checks) ... OK (0.94 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.environments.R
test.environment.assign: (6 checks) ... OK (0.97 seconds)
test.environment.base.env: (1 checks) ... OK (0.89 seconds)
test.environment.bindingIsActive: (3 checks) ... OK (0.89 seconds)
test.environment.bindingIsLocked: (3 checks) ... OK (0.96 seconds)
test.environment.child: (1 checks) ... OK (0.99 seconds)
test.environment.constructor.int: (12 checks) ... OK (0.87 seconds)
test.environment.constructor.SEXP: (7 checks) ... OK (0.86 seconds)
test.environment.constructor.stdstring: (3 checks) ... OK (0.95 seconds)
test.environment.empty.env: (1 checks) ... OK (0.86 seconds)
test.environment.exists: (3 checks) ... OK (0.92 seconds)
test.environment.get: (3 checks) ... OK (0.98 seconds)
test.environment.global.env: (1 checks) ... OK (0.97 seconds)
test.environment.isLocked: (5 checks) ... OK (1.13 seconds)
test.environment.lockBinding: (2 checks) ... OK (0.97 seconds)
test.environment.ls: (4 checks) ... OK (1.73 seconds)
test.environment.namespace.env: (2 checks) ... OK (0.96 seconds)
test.environment.NotAnEnvironment: (4 checks) ... OK (0.93 seconds)
test.environment.parent: (2 checks) ... OK (0.88 seconds)
test.environment.Rcpp: (1 checks) ... OK (0.93 seconds)
test.environment.remove: (5 checks) ... OK (1.01 seconds)
test.environment.square: (1 checks) ... OK (1.22 seconds)
test.environment.unlockBinding: (2 checks) ... OK (0.91 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.evaluator.R
test.evaluator.error: (1 checks) ... OK (0.84 seconds)
test.evaluator.ok: (1 checks) ... OK (0.91 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.exceptions.R
test.exceptions: (7 checks) ... OK (0.91 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.ExpressionVector.R
test.ExpressionVector: (1 checks) ... OK (0.99 seconds)
test.ExpressionVector.eval: (1 checks) ... OK (0.91 seconds)
test.ExpressionVector.eval.env: (1 checks) ... OK (0.96 seconds)
test.ExpressionVector.parse: (1 checks) ... OK (0.91 seconds)
test.ExpressionVector.parse.error: (1 checks) ... OK (0.94 seconds)
test.ExpressionVector.variadic: (1 checks) ... OK (1.09 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.Function.R
test.Function: (7 checks) ... OK (0.93 seconds)
test.Function.env: (3 checks) ... OK (0.89 seconds)
test.Function.variadic: (2 checks) ... OK (1.12 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.GenericVector.R
test.List: (1 checks) ... OK (0.91 seconds)
test.List.Dimension.constructor: (3 checks) ... OK (2.93 seconds)
test.List.initializer.list: (1 checks) ... OK (1 seconds)
test.List.matrix.indexing: (3 checks) ... OK (1.86 seconds)
test.List.template: (1 checks) ... OK (1.02 seconds)

```

```

test.List.VECSEX: (1 checks) ... OK (0.91 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.IntegerVector.R
test.IntegerVector: (1 checks) ... OK (0.96 seconds)
test.IntegerVector.Dimension.constructor: (3 checks) ... OK (2.93 seconds)
test.IntegerVector.initializer.list: (1 checks) ... OK (1.1 seconds)
test.IntegerVector.INTSEX: (1 checks) ... OK (1.05 seconds)
test.IntegerVector.matrix.indexing: (3 checks) ... OK (1.96 seconds)
test.IntegerVector.names.get: (1 checks) ... OK (0.96 seconds)
test.IntegerVector.names.set: (1 checks) ... OK (1.05 seconds)
test.IntegerVector.range.constructors: (2 checks) ... OK (1.95 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.Language.R
test.Language: (7 checks) ... OK (0.9 seconds)
test.Language.function: (1 checks) ... OK (0.92 seconds)
test.Language.inputoperator: (1 checks) ... OK (1.04 seconds)
test.Language.push.back: (1 checks) ... OK (0.97 seconds)
test.Language.square: (2 checks) ... OK (1.99 seconds)
test.Language.variadic: (2 checks) ... OK (2.14 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.NumericVector.R
test.NumericVector: (1 checks) ... OK (0.95 seconds)
test.NumericVector.initializer.list: (1 checks) ... OK (1.08 seconds)
test.NumericVector.matrix.indexing: (3 checks) ... OK (2.02 seconds)
test.NumericVector.REALSEX: (1 checks) ... OK (0.93 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.Pairlist.R
test.Pairlist: (8 checks) ... OK (0.9 seconds)
test.Pairlist.insert: (1 checks) ... OK (1.09 seconds)
test.Pairlist.push.back: (1 checks) ... OK (0.99 seconds)
test.Pairlist.push.front: (1 checks) ... OK (0.97 seconds)
test.Pairlist.remove: (3 checks) ... OK (2.97 seconds)
test.Pairlist.replace: (1 checks) ... OK (1.14 seconds)
test.Pairlist.size: (1 checks) ... OK (0.95 seconds)
test.Pairlist.square: (2 checks) ... OK (1.95 seconds)
test.Pairlist.variadic: (2 checks) ... OK (2.13 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RawVector.R
test.RawVector: (1 checks) ... OK (0.9 seconds)
test.RawVector.initializer.list: (1 checks) ... OK (1.04 seconds)
test.RawVector.REALSEX: (1 checks) ... OK (0.93 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppDate.R
test.RcppDate.get.functions: (1 checks) ... OK (0.99 seconds)
test.RcppDate.operators: (1 checks) ... OK (1.02 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppDatetime.R
test.RcppDatetime.get.functions: (1 checks) ... OK (1.05 seconds)
test.RcppDatetime.operators: (1 checks) ... OK (1.05 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppMatrix.R
test.RcppMatrix.double: (1 checks) ... OK (1.05 seconds)
test.RcppMatrix.double.na.nan: (1 checks) ... OK (1.01 seconds)
test.RcppMatrix.int: (1 checks) ... OK (1.05 seconds)
-----

```

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppMatrixView.R  
test.RcppMatrixView.double: (1 checks) ... OK (0.99 seconds)  
test.RcppMatrixView.int: (1 checks) ... OK (1.02 seconds)  
-----

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppParams.R  
test.RcppParams.Bool: (1 checks) ... OK (0.99 seconds)  
test.RcppParams.Date: (1 checks) ... OK (1.11 seconds)  
test.RcppParams.Datetime: (1 checks) ... OK (1.15 seconds)  
test.RcppParams.Double: (1 checks) ... OK (0.98 seconds)  
test.RcppParams.Int: (1 checks) ... OK (1.05 seconds)  
test.RcppParams.String: (1 checks) ... OK (0.97 seconds)  
-----

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppResultSet.R  
test.RcppResultSet.double: (1 checks) ... OK (0.98 seconds)  
test.RcppResultSet.double.matrix: (1 checks) ... OK (0.98 seconds)  
test.RcppResultSet.double.vector: (1 checks) ... OK (0.96 seconds)  
test.RcppResultSet.int: (1 checks) ... OK (0.94 seconds)  
test.RcppResultSet.int.matrix: (1 checks) ... OK (0.98 seconds)  
test.RcppResultSet.int.vector: (1 checks) ... OK (0.95 seconds)  
test.RcppResultSet.RcppDate: (1 checks) ... OK (0.97 seconds)  
test.RcppResultSet.RcppDatetime: (1 checks) ... OK (1.01 seconds)  
test.RcppResultSet.RcppDatetimeVector: (1 checks) ... OK (0.99 seconds)  
test.RcppResultSet.RcppDateVector: (1 checks) ... OK (0.98 seconds)  
test.RcppResultSet.RcppFrame: (1 checks) ... OK (1.12 seconds)  
test.RcppResultSet.RcppMatrix.double: (1 checks) ... OK (1.23 seconds)  
test.RcppResultSet.RcppMatrix.int: (1 checks) ... OK (0.99 seconds)  
test.RcppResultSet.RcppStringVector: (1 checks) ... OK (1 seconds)  
test.RcppResultSet.RcppVector.double: (1 checks) ... OK (1.09 seconds)  
test.RcppResultSet.RcppVector.int: (1 checks) ... OK (0.98 seconds)  
test.RcppResultSet.SEXP: (1 checks) ... OK (0.98 seconds)  
test.RcppResultSet.std.vector.double: (1 checks) ... OK (1.03 seconds)  
test.RcppResultSet.std.vector.int: (1 checks) ... OK (1.09 seconds)  
test.RcppResultSet.std.vector.std.vector.double: (1 checks) ... OK (1.27 seconds)  
test.RcppResultSet.std.vector.std.vector.int: (1 checks) ... OK (1.13 seconds)  
test.RcppResultSet.string: (1 checks) ... OK (1.03 seconds)  
-----

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppVector.R  
test.RcppVector.double: (1 checks) ... OK (1 seconds)  
test.RcppVector.double.na.nan: (1 checks) ... OK (1 seconds)  
test.RcppVector.int: (1 checks) ... OK (1.01 seconds)  
-----

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RcppVectorView.R  
test.RcppVectorView.double: (1 checks) ... OK (0.99 seconds)  
test.RcppVectorView.int: (1 checks) ... OK (0.96 seconds)  
-----

Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.RObject.R  
test.RObject.asDouble: (4 checks) ... OK (0.95 seconds)  
test.RObject.asInt: (6 checks) ... OK (0.91 seconds)  
test.RObject.asLogical: (16 checks) ... OK (0.98 seconds)  
test.RObject.asRaw: (11 checks) ... OK (0.94 seconds)  
test.RObject.asStdString: (6 checks) ... OK (0.9 seconds)  
test.RObject.asStdVectorBool: (6 checks) ... OK (0.93 seconds)  
test.RObject.asStdVectorDouble: (5 checks) ... OK (0.97 seconds)  
test.RObject.asStdVectorInt: (5 checks) ... OK (1.05 seconds)  
test.RObject.asStdVectorIntResultsSet: (4 checks) ... OK (1 seconds)

```

test.RObject.asStdVectorRaw: (5 checks) ... OK (0.97 seconds)
test.RObject.asStdVectorString: (6 checks) ... OK (0.96 seconds)
test.RObject.attr: (1 checks) ... OK (0.88 seconds)
test.RObject.attributeNames: (1 checks) ... OK (1 seconds)
test.RObject.attr.set: (1 checks) ... OK (0.9 seconds)
test.RObject.hasAttribute: (1 checks) ... OK (0.91 seconds)
test.RObject.isNull: (8 checks) ... OK (0.91 seconds)
test.RObject.stdsetdouble: (1 checks) ... OK (1.07 seconds)
test.RObject.stdsetint: (1 checks) ... OK (1.02 seconds)
test.RObject.stdsetraw: (1 checks) ... OK (1.06 seconds)
test.RObject.stdsetstring: (1 checks) ... OK (1.06 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.runit.R
test.runit: (3 checks) ... OK (0 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.S4.R
test.S4: (5 checks) ... OK (3.82 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.Symbol.R
test.Symbol: (4 checks) ... OK (0.92 seconds)
test.Symbol.notcompatible: (6 checks) ... OK (0.86 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.traits.R
test.has.iterator: (7 checks) ... OK (6.27 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.wrap.R
test.wrap.map.string.bool: (1 checks) ... OK (1.3 seconds)
test.wrap.map.string.double: (1 checks) ... OK (1.28 seconds)
test.wrap.map.string.generic: (1 checks) ... OK (1.39 seconds)
test.wrap.map.string.int: (1 checks) ... OK (1.3 seconds)
test.wrap.map.string.Rbyte: (1 checks) ... OK (1.26 seconds)
test.wrap.map.string.string: (1 checks) ... OK (1.24 seconds)
test.wrap.multimap.string.bool: (1 checks) ... OK (1.21 seconds)
test.wrap.multimap.string.double: (1 checks) ... OK (1.25 seconds)
test.wrap.multimap.string.generic: (1 checks) ... OK (1.46 seconds)
test.wrap.multimap.string.int: (1 checks) ... OK (1.25 seconds)
test.wrap.multimap.string.Rbyte: (1 checks) ... OK (1.21 seconds)
test.wrap.multimap.string.string: (1 checks) ... OK (1.31 seconds)
test.wrap.unordered.map.string.bool: (3 checks) ... OK (1.26 seconds)
test.wrap.unordered.map.string.double: (3 checks) ... OK (1.29 seconds)
test.wrap.unordered.map.string.generic: (3 checks) ... OK (1.45 seconds)
test.wrap.unordered.map.string.int: (3 checks) ... OK (1.24 seconds)
test.wrap.unordered.map.string.Rbyte: (3 checks) ... OK (1.27 seconds)
test.wrap.unordered.map.string.string: (3 checks) ... OK (1.25 seconds)
-----
Test file: /tmp/Rinst238803761/Rcpp/unitTests/runit.XPtr.R
test.XPtr: (2 checks) ... OK (1.91 seconds)
test.XPtr.internal: (2 checks) ... OK (0 seconds)

```