

Package ‘future.apply’

June 6, 2025

Version 1.20.0

Title Apply Function to Elements in Parallel using Futures

Depends R (>= 3.2.0), future (>= 1.49.0)

Imports globals, parallel, utils

Suggests datasets, stats, tools, listenv, R.rsp, markdown

VignetteBuilder R.rsp

Description Implementations of `apply()`, `by()`, `eapply()`, `lapply()`, `Map()`, `.mapply()`, `mapply()`, `replicate()`, `sapply()`, `tapply()`, and `vapply()` that can be resolved using any future-supported backend, e.g. parallel on the local machine or distributed on a compute cluster. These `future_*apply()` functions come with the same pros and cons as the corresponding base-R `*apply()` functions but with the additional feature of being able to be processed via the future framework <[doi:10.32614/RJ-2021-048](https://doi.org/10.32614/RJ-2021-048)>.

License GPL (>= 2)

LazyLoad TRUE

URL <https://future.apply.futureverse.org>,
<https://github.com/futureverse/future.apply>

BugReports <https://github.com/futureverse/future.apply/issues>

Language en-US

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author Henrik Bengtsson [aut, cre, cph] (ORCID:
<<https://orcid.org/0000-0002-7579-5165>>),
R Core Team [cph, ctb]

Maintainer Henrik Bengtsson <henrikb@braju.com>

Repository CRAN

Date/Publication 2025-06-06 08:00:02 UTC

Contents

future.apply	2
future.apply.options	4
future_apply	5
future_by	7
future_eapply	9
future_Filter	15
future_kernapply	18

Index	20
--------------	-----------

future.apply	<i>future.apply: Apply Function to Elements in Parallel using Futures</i>
--------------	---------------------------------------------------------------------------

Description

The **future.apply** packages provides parallel implementations of common "apply" functions provided by base R. The parallel processing is performed via the **future** ecosystem, which provides a large number of parallel backends, e.g. on the local machine, a remote cluster, and a high-performance compute cluster.

Details

Currently implemented functions are:

- `future_apply()`: a parallel version of `apply()`
- `future_by()`: a parallel version of `by()`
- `future_eapply()`: a parallel version of `eapply()`
- `future_lapply()`: a parallel version of `lapply()`
- `future_mapply()`: a parallel version of `mapply()`
- `future_sapply()`: a parallel version of `sapply()`
- `future_tapply()`: a parallel version of `tapply()`
- `future_vapply()`: a parallel version of `vapply()`
- `future_Map()`: a parallel version of `Map()`
- `future_replicate()`: a parallel version of `replicate()`
- `future_.mapply()`: a parallel version of `.mapply()`

Reproducibility is part of the core design, which means that perfect, parallel random number generation (RNG) is supported regardless of the amount of chunking, type of load balancing, and future backend being used.

Since these `future_*()` functions have the same arguments as the corresponding base R function, start using them is often as simple as renaming the function in the code. For example, after attaching the package:

```
library(future.apply)
```

code such as:

```
x <- list(a = 1:10, beta = exp(-3:3), logic = c(TRUE,FALSE,FALSE,TRUE))
y <- lapply(x, quantile, probs = 1:3/4)
```

can be updated to:

```
y <- future_lapply(x, quantile, probs = 1:3/4)
```

The default settings in the **future** framework is to process code *sequentially*. To run the above in parallel on the local machine (on any operating system), use:

```
plan(multisession)
```

first. That's it!

To go back to sequential processing, use `plan(sequential)`. If you have access to multiple machines on your local network, use:

```
plan(cluster, workers = c("n1", "n2", "n2", "n3"))
```

This will set up four workers, one on n1 and n3, and two on n2. If you have SSH access to some remote machines, use:

```
plan(cluster, workers = c("m1.myserver.org", "m2.myserver.org"))
```

See the **future** package and `future::plan()` for more examples.

The **future.batchtools** package provides support for high-performance compute (HPC) cluster schedulers such as SGE, Slurm, and TORQUE / PBS. For example,

- `plan(batchtools_slurm)`: Process via a Slurm scheduler job queue.
- `plan(batchtools_torque)`: Process via a TORQUE / PBS scheduler job queue.

This builds on top of the queuing framework that the **batchtools** package provides. For more details on backend configuration, please see the **future.batchtools** and **batchtools** packages.

These are just a few examples of parallel/distributed backend for the future ecosystem. For more alternatives, see the 'Reverse dependencies' section on the [future CRAN package page](#).

Author(s)

Henrik Bengtsson, except for the implementations of `future_apply()`, `future_Map()`, `future_replicate()`, `future_sapply()`, and `future_tapply()`, which are adopted from the source code of the corresponding base R functions, which are licensed under GPL (≥ 2) with 'The R Core Team' as the copyright holder. Because of these dependencies, the license of this package is GPL (≥ 2).

See Also

Useful links:

- <https://future.apply.futureverse.org>
- <https://github.com/futureverse/future.apply>
- Report bugs at <https://github.com/futureverse/future.apply/issues>

future.apply.options *Options used for future.apply*

Description

Below are the R options and environment variables that are used by the **future.apply** package and packages enhancing it.

WARNING: Note that the names and the default values of these options may change in future versions of the package. Please use with care until further notice.

Details

For settings specific to the **future** package, see [future::future.options](#) page.

Options for debugging future.apply

‘future.apply.debug’: (logical) If TRUE, extensive debug messages are generated. (Default: FALSE)

Environment variables that set R options

All of the above R ‘future.apply.*’ options can be set by corresponding environment variable R_FUTURE_APPLY_* *when the **future.apply** package is loaded*. For example, if R_FUTURE_APPLY_DEBUG=TRUE, then option ‘future.apply.debug’ is set to TRUE (logical).

See Also

To set R options or environment variables when R starts (even before the **future** package is loaded), see the [Startup](#) help page. The **startup** package provides a friendly mechanism for configuring R’s startup process.

Examples

```
## Not run:
options(future.apply.debug = TRUE)

## End(Not run)
```

Description

future_apply() implements `base::apply()` using future with perfect replication of results, regardless of future backend used. It returns a vector or array or list of values obtained by applying a function to margins of an array or matrix.

Usage

```
future_apply(
  X,
  MARGIN,
  FUN,
  ...,
  simplify = TRUE,
  future.envir = parent.frame(),
  future.stdout = TRUE,
  future.conditions = "condition",
  future.globals = TRUE,
  future.packages = NULL,
  future.seed = FALSE,
  future.scheduling = 1,
  future.chunk.size = NULL,
  future.label = "future_apply-%d"
)
```

Arguments

X	an array, including a matrix.
MARGIN	A vector giving the subscripts which the function will be applied over. For example, for a matrix 1 indicates rows, 2 indicates columns, c(1, 2) indicates rows and columns. Where X has named dimnames, it can be a character vector selecting dimension names.
FUN	A function taking at least one argument.
simplify	a logical indicating whether results should be simplified if possible.
future.envir	An environment passed as argument <code>envir</code> to <code>future::future()</code> as-is.
future.stdout	If TRUE (default), then the standard output of the underlying futures is captured, and re-outputted as soon as possible. If FALSE, any output is silenced (by sinking it to the null device as it is outputted). If NA (not recommended), output is <i>not</i> intercepted.
future.conditions	A character string of conditions classes to be captured and relayed. The default is the same as the condition argument of <code>future::Future()</code> . To not intercept conditions, use <code>conditions = character(0L)</code> . Errors are always relayed.

`future.globals` A logical, a character vector, or a named list for controlling how globals are handled. For details, see below section.

`future.packages` (optional) a character vector specifying packages to be attached in the R environment evaluating the future.

`future.seed` A logical or an integer (of length one or seven), or a list of `length(X)` with pre-generated random seeds. For details, see below section.

`future.scheduling` Average number of futures ("chunks") per worker. If `0.0`, then a single future is used to process all elements of `X`. If `1.0` or `TRUE`, then one future per worker is used. If `2.0`, then each worker will process two futures (if there are enough elements in `X`). If `Inf` or `FALSE`, then one future per element of `X` is used. Only used if `future.chunk.size` is `NULL`.

`future.chunk.size` The average number of elements per future ("chunk"). If `Inf`, then all elements are processed in a single future. If `NULL`, then argument `future.scheduling` is used.

`future.label` If a character string, then each future is assigned a label `sprintf(future.label, chunk_idx)`. If `TRUE`, then the same as `future.label = "future_lapply-%d"`. If `FALSE`, no labels are assigned.

`...` (optional) Additional arguments passed to `FUN()`, except `future.*` arguments, which are passed on to `future_lapply()` used internally.

Value

Returns a vector or array or list of values obtained by applying a function to margins of an array or matrix. See `base::apply()` for details.

Author(s)

The implementations of `future_apply()` is adopted from the source code of the corresponding base R function, which is licensed under GPL (≥ 2) with 'The R Core Team' as the copyright holder.

Examples

```
## -----
## apply()
## -----
X <- matrix(c(1:4, 1, 6:8), nrow = 2L)

Y0 <- apply(X, MARGIN = 1L, FUN = table)
Y1 <- future_apply(X, MARGIN = 1L, FUN = table)
print(Y1)
stopifnot(all.equal(Y1, Y0, check.attributes = FALSE)) ## FIXME

Y0 <- apply(X, MARGIN = 1L, FUN = stats::quantile)
Y1 <- future_apply(X, MARGIN = 1L, FUN = stats::quantile)
print(Y1)
```

```

stopifnot(all.equal(Y1, Y0))

## -----
## Parallel Random Number Generation
## -----

## Regardless of the future plan, the number of workers, and
## where they are, the random numbers produced are identical

X <- matrix(c(1:4, 1, 6:8), nrow = 2L)

plan(multisession)
set.seed(0xBEEF)
Y1 <- future_apply(X, MARGIN = 1L, FUN = sample, future.seed = TRUE)
print(Y1)

plan(sequential)
set.seed(0xBEEF)
Y2 <- future_apply(X, MARGIN = 1L, FUN = sample, future.seed = TRUE)
print(Y2)

stopifnot(all.equal(Y1, Y2))

```

future_by

Apply a Function to a Data Frame Split by Factors via Futures

Description

Apply a Function to a Data Frame Split by Factors via Futures

Usage

```

future_by(
  data,
  INDICES,
  FUN,
  ...,
  simplify = TRUE,
  future.envir = parent.frame()
)

```

Arguments

data	An R object, normally a data frame, possibly a matrix.
INDICES	A factor or a list of factors, each of length nrow(data).

<code>FUN</code>	a function to be applied to (usually data-frame) subsets of data.
<code>simplify</code>	logical: see <code>base::tapply()</code> .
<code>future.envir</code>	An environment passed as argument <code>envir</code> to <code>future::future()</code> as-is.
<code>...</code>	Additional arguments pass to <code>future_lapply()</code> and then to <code>FUN()</code> .

Details

Internally, data is grouped by INDICES into a list of data subset elements which is then processed by `future_lapply()`. When the groups differ significantly in size, the processing time may differ significantly between the groups. To correct for processing-time imbalances, adjust the amount of chunking via arguments `future.scheduling` and `future.chunk.size`.

Value

An object of class "by", giving the results for each subset. This is always a list if `simplify` is false, otherwise a list or array (see `base::tapply()`). See also `base::by()` for details.

Note on 'stringsAsFactors'

The `future_by()` is modeled as closely as possible to the behavior of `base::by()`. Both functions have "default" S3 methods that calls `data <- as.data.frame(data)` internally. This call may in turn call an S3 method for `as.data.frame()` that coerces strings to factors or not depending on whether it has a `stringsAsFactors` argument and what its default is. For example, the S3 method of `as.data.frame()` for lists changed its (effective) default from `stringsAsFactors = TRUE` to `stringsAsFactors = FALSE` in R 4.0.0.

Examples

```
## -----
## by()
## -----
library(datasets) ## warpbreaks
library(stats)    ## lm()

y0 <- by(warpbreaks, warpbreaks[, "tension"],
         function(x) lm(breaks ~ wool, data = x))

plan(multisession)
y1 <- future_by(warpbreaks, warpbreaks[, "tension"],
               function(x) lm(breaks ~ wool, data = x))

plan(sequential)
y2 <- future_by(warpbreaks, warpbreaks[, "tension"],
               function(x) lm(breaks ~ wool, data = x))
```

future_eapply*Apply a Function over a List or Vector via Futures*

Description

future_lapply() implements `base::lapply()` using futures with perfect replication of results, regardless of future backend used. Analogously, this is true for all the other `future_nnn()` functions.

Usage

```
future_eapply(  
  env,  
  FUN,  
  ...,  
  all.names = FALSE,  
  USE.NAMES = TRUE,  
  future.envir = parent.frame(),  
  future.label = "future_eapply-%d"  
)  
  
future_lapply(  
  X,  
  FUN,  
  ...,  
  future.envir = parent.frame(),  
  future.stdout = TRUE,  
  future.conditions = "condition",  
  future.globals = TRUE,  
  future.packages = NULL,  
  future.seed = FALSE,  
  future.scheduling = 1,  
  future.chunk.size = NULL,  
  future.label = "future_lapply-%d"  
)  
  
future_replicate(  
  n,  
  expr,  
  simplify = "array",  
  future.seed = TRUE,  
  ...,  
  future.envir = parent.frame(),  
  future.label = "future_replicate-%d"  
)  
  
future_sapply(  
  X,  
  FUN,  
  ...,  
  future.envir = parent.frame(),  
  future.label = "future_sapply-%d"  
)
```

```

    X,
    FUN,
    ...,
    simplify = TRUE,
    USE.NAMES = TRUE,
    future.envir = parent.frame(),
    future.label = "future_sapply-%d"
  )

future_tapply(
  X,
  INDEX,
  FUN = NULL,
  ...,
  default = NA,
  simplify = TRUE,
  future.envir = parent.frame(),
  future.label = "future_tapply-%d"
)

future_vapply(
  X,
  FUN,
  FUN.VALUE,
  ...,
  USE.NAMES = TRUE,
  future.envir = parent.frame(),
  future.label = "future_vapply-%d"
)

```

Arguments

<code>env</code>	An R environment.
<code>FUN</code>	A function taking at least one argument.
<code>all.names</code>	If TRUE, the function will also be applied to variables that start with a period (<code>.</code>), otherwise not. See base::eapply() for details.
<code>USE.NAMES</code>	See base::sapply() .
<code>future.envir</code>	An environment passed as argument <code>envir</code> to future::future() as-is.
<code>future.label</code>	If a character string, then each future is assigned a label <code>sprintf(future.label, chunk_idx)</code> . If TRUE, then the same as <code>future.label = "future_lapply-%d"</code> . If FALSE, no labels are assigned.
<code>X</code>	An R object for which a split method exists. Typically vector-like, allowing subsetting with <code>[</code> , or a data frame.
<code>future.stdout</code>	If TRUE (default), then the standard output of the underlying futures is captured, and re-outputted as soon as possible. If FALSE, any output is silenced (by sinking it to the null device as it is outputted). If NA (not recommended), output is <i>not</i> intercepted.

<code>future.conditions</code>	A character string of conditions classes to be captured and relayed. The default is the same as the condition argument of <code>future::Future()</code> . To not intercept conditions, use <code>conditions = character(0L)</code> . Errors are always relayed.
<code>future.globals</code>	A logical, a character vector, or a named list for controlling how globals are handled. For details, see below section.
<code>future.packages</code>	(optional) a character vector specifying packages to be attached in the R environment evaluating the future.
<code>future.seed</code>	A logical or an integer (of length one or seven), or a list of length(X) with pre-generated random seeds. For details, see below section.
<code>future.scheduling</code>	Average number of futures ("chunks") per worker. If <code>0.0</code> , then a single future is used to process all elements of X. If <code>1.0</code> or <code>TRUE</code> , then one future per worker is used. If <code>2.0</code> , then each worker will process two futures (if there are enough elements in X). If <code>Inf</code> or <code>FALSE</code> , then one future per element of X is used. Only used if <code>future.chunk.size</code> is <code>NULL</code> .
<code>future.chunk.size</code>	The average number of elements per future ("chunk"). If <code>Inf</code> , then all elements are processed in a single future. If <code>NULL</code> , then argument <code>future.scheduling</code> is used.
<code>n</code>	The number of replicates.
<code>expr</code>	An R expression to evaluate repeatedly.
<code>simplify</code>	See <code>base::sapply()</code> and <code>base::tapply()</code> , respectively.
<code>INDEX</code>	A list of one or more factors, each of same length as X. The elements are coerced to factors by <code>as.factor()</code> . Can also be a formula, which is useful if X is a data frame; see the <code>f</code> argument in <code>split()</code> for interpretation.
<code>default</code>	See <code>base::tapply()</code> .
<code>FUN.VALUE</code>	A template for the required return value from each <code>FUN(X[ii], ...)</code> . Types may be promoted to a higher type within the ordering <code>logical < integer < double < complex</code> , but not demoted. See <code>base::vapply()</code> for details.
<code>...</code>	(optional) Additional arguments passed to <code>FUN()</code> . For <code>future_*apply()</code> functions and <code>replicate()</code> , any <code>future.*</code> arguments part of <code>\ldots</code> are passed on to <code>future_lapply()</code> used internally. Importantly, if this is called inside another function which also declares <code>...</code> arguments, do not forget to explicitly pass such <code>...</code> arguments down to the <code>future_*apply()</code> function too, which will then pass them on to <code>FUN()</code> . See below for an example.

Value

A named (unless `USE.NAMES = FALSE`) list. See `base::eapply()` for details.

For `future_lapply()`, a list with same length and names as X. See `base::lapply()` for details.

`future_replicate()` is a wrapper around `future_sapply()` and return simplified object according to the `simplify` argument. See `base::replicate()` for details. Since `future_replicate()` usually involves random number generation (RNG), it uses `future.seed = TRUE` by default in order

produce sound random numbers regardless of future backend and number of background workers used.

For `future_sapply()`, a vector with same length and names as `X`. See `base::sapply()` for details.

`future_tapply()` returns an array with mode "list", unless `simplify = TRUE` (default) and `FUN` returns a scalar, in which case the mode of the array is the same as the returned scalars. See `base::tapply()` for details.

For `future_vapply()`, a vector with same length and names as `X`. See `base::vapply()` for details.

Global variables

Argument `future.globals` may be used to control how globals should be handled similarly how the `globals` argument is used with `future()`. Since all function calls use the same set of globals, this function can do any gathering of globals upfront (once), which is more efficient than if it would be done for each future independently. If `TRUE` (default), then globals are automatically identified and gathered. If a character vector of names is specified, then those globals are gathered. If a named list, then those globals are used as is. In all cases, `FUN` and any `\ldots` arguments are automatically passed as globals to each future created as they are always needed.

Reproducible random number generation (RNG)

Unless `future.seed` is `FALSE` or `NULL`, this function guarantees to generate the exact same sequence of random numbers *given the same initial seed / RNG state* - this regardless of type of futures, scheduling ("chunking") strategy, and number of workers.

RNG reproducibility is achieved by pregenerating the random seeds for all iterations (over `X`) by using parallel RNG streams. In each iteration, these seeds are set before calling `FUN(X[[ii]], ...)`. *Note, for large `length(X)` this may introduce a large overhead.*

If `future.seed = TRUE`, then `.Random.seed` is used if it holds a parallel RNG seed, otherwise one is created randomly.

If `future.seed = FALSE`, it is expected that none of the `FUN(X[[ii]], ...)` function calls use random number generation. If they do, then an informative warning or error is produced depending on settings. See `future::future()` for more details. Using `future.seed = NULL`, is like `future.seed = FALSE` but without the check whether random numbers were generated or not.

As input, `future.seed` may also take a fixed initial seed (integer), either as a full parallel RNG seed, or as a seed generating such a full parallel seed. This seed will be used to generate `length(X)` parallel RNG streams.

In addition to the above, it is possible to specify a pre-generated sequence of RNG seeds as a list such that `length(future.seed) == length(X)` and where each element is an integer seed vector that can be assigned to `.Random.seed`. One approach to generate a set of valid RNG seeds based on fixed initial seed (here 42L) is:

```
seeds <- future_lapply(seq_along(X), FUN = function(x) .Random.seed,
                      future.chunk.size = Inf, future.seed = 42L)
```

Note that `as.list(seq_along(X))` **is not a valid set of such** `.Random.seed` **values.**

In all cases but `future.seed = FALSE` and `NULL`, the RNG state of the calling R processes after this function returns is guaranteed to be "forwarded one step" from the RNG state that was before the

call and in the same way regardless of `future.seed`, `future.scheduling` and future strategy used. This is done in order to guarantee that an R script calling `future_lapply()` multiple times should be numerically reproducible given the same initial seed.

Control processing order of elements

Attribute ordering of `future.chunk.size` or `future.scheduling` can be used to control the ordering the elements are iterated over, which only affects the processing order and *not* the order values are returned. This attribute can take the following values:

- index vector - an numeric vector of length `length(X)`
- function - an function taking one argument which is called as `ordering(length(X))` and which must return an index vector of length `length(X)`, e.g. `function(n) rev(seq_len(n))` for reverse ordering.
- "random" - this will randomize the ordering via random index vector `sample.int(length(X))`. For example, `future.scheduling = structure(TRUE, ordering = "random")`. *Note*, when elements are processed out of order, then captured standard output and conditions are also relayed in that order, that is out of order.

Author(s)

The implementations of `future_replicate()`, `future_sapply()`, and `future_tapply()` are adopted from the source code of the corresponding base R functions, which are licensed under GPL (≥ 2) with 'The R Core Team' as the copyright holder.

Examples

```
## -----
## lapply(), sapply(), tapply()
## -----
x <- list(a = 1:10, beta = exp(-3:3), logic = c(TRUE, FALSE, FALSE, TRUE))
y0 <- lapply(x, FUN = quantile, probs = 1:3/4)
y1 <- future_lapply(x, FUN = quantile, probs = 1:3/4)
print(y1)
stopifnot(all.equal(y1, y0))

y0 <- sapply(x, FUN = quantile)
y1 <- future_sapply(x, FUN = quantile)
print(y1)
stopifnot(all.equal(y1, y0))

y0 <- vapply(x, FUN = quantile, FUN.VALUE = double(5L))
y1 <- future_vapply(x, FUN = quantile, FUN.VALUE = double(5L))
print(y1)
stopifnot(all.equal(y1, y0))

## -----
## Parallel Random Number Generation
## -----
```

```

## Regardless of the future plan, the number of workers, and
## where they are, the random numbers produced are identical

plan(multisession)
set.seed(0xBEEF)
y1 <- future_lapply(1:5, FUN = rnorm, future.seed = TRUE)
str(y1)

plan(sequential)
set.seed(0xBEEF)
y2 <- future_lapply(1:5, FUN = rnorm, future.seed = TRUE)
str(y2)

stopifnot(all.equal(y1, y2))

## -----
## Process chunks of data.frame rows in parallel
## -----
iris <- datasets::iris
chunks <- split(iris, seq(1, nrow(iris), length.out = 3L))
y0 <- lapply(chunks, FUN = function(iris) sum(iris$Sepal.Length))
y0 <- do.call(sum, y0)
y1 <- future_lapply(chunks, FUN = function(iris) sum(iris$Sepal.Length))
y1 <- do.call(sum, y1)
print(y1)
stopifnot(all.equal(y1, y0))

## -----
## Remember to pass down '...' arguments
## -----
## It is important that we don't use '...' as a global variable,
## as attempted in the following not_okay_fcn()
bad_fcn <- function(X, ...) {
  y <- future_lapply(X, FUN = function(x) {
    mean(x, ...) ## here '...' is a global variable
  })
  y
}

## Instead, make sure to pass '...' via arguments all the way through
good_fcn <- function(X, ...) { ## outer '...'
  y <- future_lapply(X, FUN = function(x, ...) {
    mean(x, ...) ## here '...' is an argument of FUN()
  }, ...) ## pass outer '...' to FUN()
  y
}

```

future_Filter

*Apply a Function to Multiple List or Vector Arguments***Description**

future_mapply() implements `base::mapply()` using futures with perfect replication of results, regardless of future backend used. Analogously to `mapply()`, `future_mapply()` is a multivariate version of `future_sapply()`. It applies FUN to the first elements of each `\ldots` argument, the second elements, the third elements, and so on. Arguments are recycled if necessary.

Usage

```
future_Filter(f, x, ...)

future_Map(
  f,
  ...,
  future.envir = parent.frame(),
  future.label = "future_Map-%d"
)

future_mapply(
  FUN,
  ...,
  MoreArgs = NULL,
  SIMPLIFY = TRUE,
  USE.NAMES = TRUE,
  future.envir = parent.frame(),
  future.stdout = TRUE,
  future.conditions = "condition",
  future.globals = TRUE,
  future.packages = NULL,
  future.seed = FALSE,
  future.scheduling = 1,
  future.chunk.size = NULL,
  future.label = "future_mapply-%d"
)

future_.mapply(FUN, dots, MoreArgs, ..., future.label = "future_.mapply-%d")
```

Arguments

f	A function of the arity k if <code>future_Map()</code> is called with k arguments.
x	A vector-like object to iterate over.
future.envir	An environment passed as argument <code>envir</code> to future::future() as-is.

<code>future.label</code>	If a character string, then each future is assigned a label <code>sprintf(future.label, chunk_idx)</code> . If <code>TRUE</code> , then the same as <code>future.label = "future_lapply-%d"</code> . If <code>FALSE</code> , no labels are assigned.
<code>FUN</code>	A function to apply, found via <code>base::match.fun()</code> .
<code>MoreArgs</code>	A list of other arguments to <code>FUN</code> .
<code>SIMPLIFY</code>	A logical or character string; attempt to reduce the result to a vector, matrix or higher dimensional array; see the <code>simplify</code> argument of <code>base::sapply()</code> .
<code>USE.NAMES</code>	A logical; use names if the first <code>\ldots</code> argument has names, or if it is a character vector, use that character vector as the names.
<code>future.stdout</code>	If <code>TRUE</code> (default), then the standard output of the underlying futures is captured, and re-outputted as soon as possible. If <code>FALSE</code> , any output is silenced (by sinking it to the null device as it is outputted). If <code>NA</code> (not recommended), output is <i>not</i> intercepted.
<code>future.conditions</code>	A character string of conditions classes to be captured and relayed. The default is the same as the <code>condition</code> argument of <code>future::Future()</code> . To not intercept conditions, use <code>conditions = character(0L)</code> . Errors are always relayed.
<code>future.globals</code>	A logical, a character vector, or a named list for controlling how globals are handled. For details, see <code>future_lapply()</code> .
<code>future.packages</code>	(optional) a character vector specifying packages to be attached in the R environment evaluating the future.
<code>future.seed</code>	A logical or an integer (of length one or seven), or a list of <code>max(lengths(list(...)))</code> with pre-generated random seeds. For details, see <code>future_lapply()</code> .
<code>future.scheduling</code>	Average number of futures ("chunks") per worker. If <code>0.0</code> , then a single future is used to process all elements of <code>X</code> . If <code>1.0</code> or <code>TRUE</code> , then one future per worker is used. If <code>2.0</code> , then each worker will process two futures (if there are enough elements in <code>X</code>). If <code>Inf</code> or <code>FALSE</code> , then one future per element of <code>X</code> is used. Only used if <code>future.chunk.size</code> is <code>NULL</code> .
<code>future.chunk.size</code>	The average number of elements per future ("chunk"). If <code>Inf</code> , then all elements are processed in a single future. If <code>NULL</code> , then argument <code>future.scheduling</code> is used.
<code>dots</code>	A list of arguments to vectorize over (vectors or lists of strictly positive length, or all of zero length).
<code>...</code>	Arguments to vectorize over, will be recycled to common length, or zero if one of them is of length zero.

Details

Note that `base::.mapply()`, which `future_.mapply()` is modeled after is listed as an "internal" function in R despite being exported.

Value

See [base::Filter\(\)](#) for details.

future_Map() is a simple wrapper to future_mapply() which does not attempt to simplify the result. See [base::Map\(\)](#) for details.

future_mapply() returns a list, or for SIMPLIFY = TRUE, a vector, array or list. See [base::mapply\(\)](#) for details.

future_.mapply() returns a list. See [base::.mapply\(\)](#) for details.

Author(s)

The implementations of future_Filter() is adopted from the source code of the corresponding base R function Filter(), which is licensed under GPL (>= 2) with 'The R Core Team' as the copyright holder.

The implementations of future_Map() is adopted from the source code of the corresponding base R function Map(), which is licensed under GPL (>= 2) with 'The R Core Team' as the copyright holder.

Examples

```
## -----
## Filter()
## -----
is_even <- function(x) { x %% 2 == 0 }
x <- sample.int(100, size = 1000, replace = TRUE)
y <- future_Filter(is_even, x)

## -----
## mapply()
## -----
y0 <- mapply(rep, 1:4, 4:1)
y1 <- future_mapply(rep, 1:4, 4:1)
stopifnot(identical(y1, y0))

y0 <- mapply(rep, times = 1:4, x = 4:1)
y1 <- future_mapply(rep, times = 1:4, x = 4:1)
stopifnot(identical(y1, y0))

y0 <- mapply(rep, times = 1:4, MoreArgs = list(x = 42))
y1 <- future_mapply(rep, times = 1:4, MoreArgs = list(x = 42))
stopifnot(identical(y1, y0))

y0 <- mapply(function(x, y) seq_len(x) + y,
              c(a = 1, b = 2, c = 3), # names from first
              c(A = 10, B = 0, C = -10))
y1 <- future_mapply(function(x, y) seq_len(x) + y,
                    c(a = 1, b = 2, c = 3), # names from first
                    c(A = 10, B = 0, C = -10))
stopifnot(identical(y1, y0))
```

```

word <- function(C, k) paste(rep.int(C, k), collapse = "")
y0 <- mapply(word, LETTERS[1:6], 6:1, SIMPLIFY = FALSE)
y1 <- future_mapply(word, LETTERS[1:6], 6:1, SIMPLIFY = FALSE)
stopifnot(identical(y1, y0))

## -----
## Parallel Random Number Generation
## -----

## Regardless of the future plan, the number of workers, and
## where they are, the random numbers produced are identical

plan(multisession)
set.seed(0xBEEF)
y1 <- future_mapply(stats::runif, n = 1:4, max = 2:5,
                    MoreArgs = list(min = 1), future.seed = TRUE)
print(y1)

plan(sequential)
set.seed(0xBEEF)
y2 <- future_mapply(stats::runif, n = 1:4, max = 2:5,
                    MoreArgs = list(min = 1), future.seed = TRUE)
print(y2)

stopifnot(all.equal(y1, y2))

```

future_kernapply

Apply Smoothing Kernel in Parallel

Description

future_kernapply() is a futurized version of `stats::kernapply()`, i.e. it computes, in parallel, the convolution between an input sequence and a specific kernel. Parallelization takes place over columns when `x` is a matrix, including a `ts` matrix.

Usage

```

future_kernapply(x, ...)

## Default S3 method:
future_kernapply(x, k, circular = FALSE, ...)

## S3 method for class 'ts'
future_kernapply(x, k, circular = FALSE, ...)

```

Arguments

x	an input vector, matrix, time series or kernel to be smoothed.
...	arguments passed to or from other methods.
k	smoothing "tskernel" object.
circular	a logical indicating whether the input sequence to be smoothed is treated as circular, i.e., periodic.

Value

See `stats::kernapply()` for details.

Examples

```
library(datasets)
library(stats)

X <- EuStockMarkets[, 1:2]
k <- kernel("daniell", 50) # a long moving average
X_smooth <- future_kernapply(X, k = k)
```

Index

- * **iteration**
 - future.apply, 2
 - future_eapply, 9
 - future_Filter, 15
- * **manip**
 - future.apply, 2
 - future_eapply, 9
 - future_Filter, 15
- * **programming**
 - future.apply, 2
 - future_eapply, 9
 - future_Filter, 15
- .Random.seed, 12
- .mapply(), 2
- [, 10
- apply(), 2
- as.factor(), 11
- base::.mapply(), 16, 17
- base::apply(), 5, 6
- base::by(), 8
- base::eapply(), 10, 11
- base::Filter(), 17
- base::lapply(), 9, 11
- base::Map(), 17
- base::mapply(), 15, 17
- base::match.fun(), 16
- base::replicate(), 11
- base::sapply(), 10–12, 16
- base::tapply(), 8, 11, 12
- base::vapply(), 11, 12
- by(), 2
- eapply(), 2
- environment, 5, 8, 10, 15
- factor, 11
- future.apply, 2
- future.apply-package (future.apply), 2
- future.apply.debug
 - (future.apply.options), 4
- future.apply.options, 4
- future::Future(), 5, 11, 16
- future::future(), 5, 8, 10, 12, 15
- future::future.options, 4
- future::plan(), 3
- future_.mapply (future_Filter), 15
- future_.mapply(), 2
- future_apply, 5
- future_apply(), 2
- future_by, 7
- future_by(), 2
- future_eapply, 9
- future_eapply(), 2
- future_Filter, 15
- future_kernapply, 18
- future_lapply (future_eapply), 9
- future_lapply(), 2, 6, 8, 16
- future_Map (future_Filter), 15
- future_Map(), 2
- future_mapply (future_Filter), 15
- future_mapply(), 2
- future_replicate (future_eapply), 9
- future_replicate(), 2
- future_sapply (future_eapply), 9
- future_sapply(), 2
- future_tapply (future_eapply), 9
- future_tapply(), 2
- future_vapply (future_eapply), 9
- future_vapply(), 2
- lapply(), 2
- Map(), 2
- mapply(), 2
- R_FUTURE_APPLY_DEBUG
 - (future.apply.options), 4
- replicate(), 2

sapply(), [2](#)
split, [10](#)
split(), [11](#)
Startup, [4](#)
stats::kernapply(), [18](#), [19](#)

tapply(), [2](#)

vapply(), [2](#)